2012 JUL -2 AM 9: 50

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

BOOみづ 130031 130034 130033 List PWS ID #s for all Water Systems Covered by this CCR

conti	Federal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer idence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Pleas	se Answer the Following Questions Regarding the Consumer Confidence Report
α	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: 6 /30/12
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/_/
\propto	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Daily Times Leaders Date Published: (a. 139/12)
	Date Published: 6 139/12
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
CER'	TIFICATION
the fo	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in form and manner identified above. I further certify that the information included in this CCR is true and correct and is stent with the water quality monitoring data provided to the public water system officials by the Mississippi State rtment of Health, Bureau of Public Water Supply.
Nam	Mary L. Williams 6-29-12 Pate

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2012 JUL -2 AM 9: 50

2011 Drinking Water Quality Report

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability:

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have you water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available form the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

****A Message From MSDH Concerning Radiological Sampling ****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007- December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Monitoring and Reporting of Compliance Data Violations Significant Deficiencies

System Name and ID: Una-130023, Griffith-130015, Pine Bluff-130017

<u>During a sanitary survey conducted on 7/28/2011, the Mississippi State Department of Health cited the following significant deficiencies:</u>

Inadequate internal cleaning/maintenance of storage tanks

<u>Corrective actions:</u> These systems are currently under a Bilateral Compliance Agreement with the MSDH to correct this deficiency by 8/22/2012

Inorganic and Radioactive Contaminants

BARIUM

Well-PWS II	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	2	2	0.02	No	May-11	Discharge of drilling waste and
Beasley II-	130025	2	2	0.03	No	May-11	metal refineries. Erosion of
Griffith-	130015	2	2	0.03	No	May-11	natural deposits.
Gates-	130021	2	2	0.02	No	May-11	
lvy Village-	130004	2	2	0.03	No	May-11	
Muldon-	130024	2	2	0.06	No	May-11	
Pine Bluff-	130017	2	2	0.07	No	May-11	
Una-	130023	2	2	0.04	No	May-11	

FLOURIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	1.06	No	May-11	Erosion of natural deposits.
Beasley II-	130025	4	4	0.72	No	May-11	Additive which promotes strong
Griffith-	130015	4	4	0.61	No	May-11	teeth. Discharge from fertilizer.
Gates-	130021	4	4	0.88	No	May-11	,
Ivy Village-	130004	4	4	0.83	No	May-11	
Muldon-	130024	4	4	0.40	No	May-11	
Pine Bluff-	130017	4	4	0.10	No	May-11	
Una-	130023	4	4	0.30	No	May-11	

LEAD

Well-PWS II	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15	0.002	No	Jul-08	Corrosion of household plumbing
Beasley II-	130025	0	15	0.001	No	Jul-08	systems. Erosion of natural
Griffith-	130015	0	15	0.002	No	Jul-07	deposits.
Gates-	130021	0	15	0.003	No	Jul-07	
Ivy Village-	130004	0	15	0.002	No	Jul-08	
Muldon-	130024	0	15	0.001	No	Jul-08	
Pine Bluff-	130017	0	15	0.002	No	Jul-07	
Una-	130023	0	15	0.003	No	Jul-08	

COPPER

Well-PWS ID#		MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	1.3	1.3	0.60	No	Jul-08	Corrosion of household plumbing
Beasley II-	130025	1.3	1.3	0.70	No	Jul-08	systems. Erosion of natural
Griffith-	130015	1.3	1.3	0.10	No	Jul-07	deposits.
Gates-	130021	1.3	1.3	0.10	No	Jul-07	
Ivy Village-	130004	1.3	1.3	0.00	No	Jul-08	
Muldon-	130024	1.3	1.3	0.46	No	Jul-08	
Pine Bluff-	130017	1.3	1.3	0.30	No	Jul-07	
Una-	130023	1.3	1.3	0.30	No	Jul-08	

CYANIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.2	0.2	0.01	No	Aug-11	Discharge from steel/metal factories.
Beasley II-	130025	0.2	0.2	0.01	No	Aug-11	Discharge from plastic and fertilizer
Griffith-	130015	0.2	0.2	0.01	No	Jun-11	factories.
Gates-	130021	0.2	0.2	0.01	No	Aug-11	
lvy Village-	130004	0.2	0.2	0.01	No	Aug-11	
Muldon-	130024	0.2	0.2	0.01	No	Aug-11	
Pine Bluff-	130017	0.2	0.2	0.01	No	Aug-11	
Una-	130023	0.2	0.2	0.01	No	Aug-11	

NITRATE/NITRATE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	10	10	0.1	No	Jan-11	Runoff from fertilizer use; leaching
Beasley II-	130025	10	10	0.1	No	Jan-11	from septic tanks and sewage.
Griffith-	130015	10	10	0.1	No	Jan-11	Erosion of natural deposits.
Gates-	130021	10	10	0.1	No	Oct-11	·
Ivy Village-	130004	10	10	0.1	No	Jan-11	
Muldon-	130024	10	10	0.1	No	Jan-11	
Pine Bluff-	130017	10	10	0.1	No	Jan-11	
Una-	130023	10	10.	0.1	No	Jan-11	

HALOACETIC ACID HAA5

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.06	0.06	0.02	No	Aug-11	Disinfection Bi-product
Beasley II-	130025	0.06	0.06	0.06	No	Jun-11	·
Griffith-	130015	0.06	0.06	0.06	No	Jun-11	
Gates-	130021	0.06	0.06	0.01	No	Aug-11	
lvy Village-	130004	0.06	0.06	0.06	No	Aug-11	
Muldon-	130024	0.06	0.06	0.06	No	Aug-11	
Pine Bluff-	130017	0.06	0.06	0.06	No	Aug-11	
Una-	130023	0.06	0.06	0.06	No	Aug-11	

TRIHALOMETHANE TTHM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.08	0.08	0.04	No	Aug-11	Disinfection Bi-product
Beasley II-	130025	0.08	0.08	0.04	No	Aug-11	·
Griffith-	130015	0.08	0.08	0.04	No	Jun-11	
Gates-	130021	0.08	0.08	0.04	No	Aug-11	
lvy Village-	130004	0.08	0.08	0.04	No	Aug-11	
Muldon-	130024	0.08	0.08	0.04	No	Aug-11	
Pine Bluff-	130017	0.08	0.08	0.04	No	Aug-11	
Una-	130023	0.08	0.08	0.01	No	Aug-11	

ALPHA EMITTERS

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	15	15	2.99	No	Nov-11	Erosion of natural deposits.
lvy Village-	130004	15	15	2.97	No	Nov-11	·
Muldon-	130024	15	15	2.92	No	Nov-11	

URANIUM

Well-PWS ID#		MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	5	5	0.06	No	Nov-11	Erosion of natural deposits.
lvy Village-	130004	5	5	0.06	No	Nov-11	·
Muldon-	130024	5	5	0.06	No	Nov-11	

RADIUM

Well-PWS ID#		MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	5	5	0.70	No	Nov-11	Erosion of natural deposits.
lvy Village-	130004	5	5	0.79	No	Nov-11	·
Muldon-	130024	5	5	0.48	No	Nov-11	

Chlorine-

Well- PWS	ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I-	130016	4	4	0.10	0.10	0.10	2011	Ν	Water additive used
Beasley II-	130025	4	4	0.20	0.20	0.20	2011	Ν	to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15	2011	Ν	There is convincing
Gates-	130021	4	4	0.15	0.10	0.20	2011	N	evidence that addition
Ivy Village-	130004	4	4	0.10	0.10	0.10	2011	N	of a disenfectant is
Muldon-	130024	4	4	0.20	0.20	0.20	2011	N	necessary for control
Pine Bluff-	130017	4	4	0.10	0.10	0.10	2011	N	of microbial
Una-	130023	4	4	0.10	0.10	0.10	2011	Ν	contaminants.

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs
	as feasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which
	there is no known or expected risk to health. MCLGs
	allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a
	contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirements which a water
	system must follow.
MRDLG-Maximum Residual	The level of a drinking water disinfectant below which
Disinfection Level Goal	there is no known or expected risk to health. MCLGs do
	not reflect the benefits of the use of disinfectants to
	control microbial contaminants.
MRDL-Maximum Residual	The highest level of a disinfectant allowed in drinking
Disinfection Level	water. There is convincing evidence that addition of a
	disinfectant is necessary for control of microbial
	contaminants.

, v

'Any Man'

going, where you going... that I am on the edge of ny overflow, I got a New Man and his name is JESUS. My friend, now my sister in Christ whom I love dearly, has shared with me her greatest love, the love of Jesus Christ. The love that is availe keep me from the saying started? The control of the word of God, I will use any sword. The word of God, I will use any sword. The word of God, I will use any sword. The word of God, I will use any sword and raise for the love, greaten the control of the word of God, I will use any sword. The word of God, I will use any sword. How word in the word of God, I will use any sword. How word in the word of God, I will use any sword. Lord, I stand before you want him to be in you. He says yes to your will and your way. For you see, Any Man, has learned to read your word and do just what it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute, it has to say "Auy Man" is a man she her a minute word and the say way the say way the say way the way your way. For you see, Any Man, has learned to read you true.

Man, has learned to read you true.

Man, has learned to read you true.

It has been a minute, it has been a formed to read your true.

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a journey

It has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a minute, it has been a journey

It has been a journey

It has been a minute, it has been a journey

It has been

continued from page 3

myself. (Old Man where you Oh, enemy you must know going, where you going... that I am on the edge of my overflow

thee.
It has been a minute, it has

unanimously approved the spili, it will need to review a single newspaper operating single newspaper operating out of Adelaide." Murdoch more formal proposal on the matter. The deal is also subject to shareholder and referring to with matter. The deal is also subject to shareholder and referring to with matter. The deal is also subject to shareholder and referring to with matter. The deal is also subject to shareholder and referring to with matter. The deal is also subject to shareholder and referring to with matter. The deal is also subject to shareholder and referring to with matter. The state of company about \$54 billion.

Said it plans to hold a meeting of its shareholders sometime in 2013. The entire process may take a year to finalize.

The Murdoch family, which controls nearly 40 gears for the state of the forme water assessment and its availability the search exter assessment is provided on religible Steam Water Contact Information Wile Developed - Certified Operation P.O. 8cm 224 West Print M. 1917-1 862-454 (ATZ

Parties a sentiary survey conducted on 2/20/011. See Ministrator Sides On Health, clared the following sentificant deficiency.

Heath sizes the passion of the second second second in-inadequate internal elements/mointenance of second tooks. Competing actions. These systems are controlly under a Bills with the MSDH to correct this deficiency by 8/25/2012.

No	Referen
Spire .	2073 per misse, or congruent per fire (1927)
30	parts per billion re monograms per liter (up)
MCS, Marrison Contaminant Level	The highest level of a contominars that is abound in
	direkting langer AVCEs are set as close to the VCLOV
the section of the section of the section of	las francia using the best evaluate areatment instructory
PCLS Maximo Continuent Level Goal	The level of a contanuous in discuss wash below which
	there is no known or expected risk to heart. MCLOs
	allow for a morain of parety
17. Treatment Technique	IA required process intended to reduce the level of A
	Constantinger in detailers water
G. Jefen Least	(The precent stop of a contominant which, if exception),
	Displace Presidence or other requirements which a leaser :
	postero must follow
VAC C. Universe Penting	The level of a drobing water distribute below which
Distribution Level Goal	Priore is no snown or expensed risk to health, MCLOs do
	Preditates the bimetty of the one of dis-factories to
	Control pricrotral contaminants
MODE Management Reported	(The highest several a painteeters placed in sheking)
Desteuton Level	water. There is convinging evidence that addition of a
	Selectionary in necessary by control of microsist
	create-fearets

Une	130023	1	10	0.1	246	462.11	
********			فقتسب	Cont. 1			
(ALORGE)	TO ACIO	HAAS	CHOCK!	5-31/494(A)	20.00	34. Thus.	:
MAPWA I	DM	INCLO !	MCL	Your Wreen I	V7059500	Barrote Oate	Typical Soutce
navager i-	130010	2.00	0.03	0.02	Dia	Aug 11	Clair fection Bi-product
Destaloy It.	130075	0.00	0.03	2.00	200		District the second second
Doffish-	120015	0.05	0.00	966	260	Apr-11	
Goler-	130021	0.00	0.00	0.01	No	Aug-11	In the Lawrence Charles Committee
vy VANDA-	130004	0.00	0.00	0.00	780	Aug.11	医结核体膜内结核炎 化有效流流流 经收益
W-200-	130024	0.00	9.00	0.01	No	1 Aug-15	Barriera de la compansión de la compa
Prog Straft	130017	0.06			1760	1	
Jee .	130073	000	0.00	0.00	No.	Aug.11	
		.225960					
TROUGH, OM	RIDARS.	THAT	22.00	Tyour Wester		terminate.	Typical Bource
COMPACTO .	133015	0.00	0.01		No.	700-11	Chertocron Bi-product
Country 1	130015	0.00	0.05	0.04	122		3 Commence of the commence of
Gestione to	130015	0.00	0.05	804		Jen-11	at the state of th
dece-	130015	0.00	0.00	904		Ave 11	H .
Conew VV VV ngo-		- 85	868		200	Avg. 1	Hara tara e e a como de la como de
				- 887	100	549.11	Harris Market Control of the Control
MAJdon-	130024	0.03	- 98	004	112	Aug 1	
Prot Shut-	130917		200				
Una-	150923	0.93	- 250	4	122	1 Avg 11	
ALPINA E	writing						ALCOHOL ACTOR AND A STATE OF THE ACTOR AND A S
305 WA		THELE	1340	Your Wister	Noteton.	Charrelle (1999)	Sygnosi Source
(terpolity).	150015	15			The same	3 Heren \$1	Eropeon of national department
100 1200m		13			1242	1994-11	
NA MOON	199024					Non-1	
Crarety					A. Tonaman	***************************************	Marie Control of the
UNAMU			1,10	1000	2000		Section of the Control of
West Pro		MGLG	IVCC.	TOUT VENIER	- Vanagen		Typical Source
Dearley t.		a Comme		0.00	1 Nes		1 Distron of matural debooks
107 V2000		3 8	9	0,00	Tire	Hon1	
MANUT.	150024	1	4	0.00	4665	Hoy-1	II.
	10000	.:		1.100.00	. 155	Libra a come	1.7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1
PAINUN		Tecus	THEL	-	-	-	Yapicot Rource
		Pacera.		COM VENS	O No	Toursely Days	1 Grouten of natural discounts
Bearisy h			1			4	STOCKHOOM OF THE PROPERTY OF COURSE
in vitage	1300001		9	9.75	9 Ho	Page-1	異ながない さっしょ ロールしん
MANN.	130024	1		2	200	1000	Marka and the first of the control o
	(- () Ye	Acres Server			1.11983		경우 당시 아이들은 살다.
Morco-			Part L	100,000,000			nets Date Microton Typical Source
(44- PVC)	SE DAG	1G. 19	CL.	Your Water			
	-	*********		0.10	0.15	0.101	2011 N Water Bassara ut

ACCOUNT NO. SERVICE FROM SERVICE TO

SERVICE ADDRESS

LOWER GUPIPERION RU

MI CURRENT	ETER READINGS PREVIOUS	USED
6.048	6024	24

CHARGE FOR SERVICES

MTR	20.00
NET DUE >>>	20.00
SAVE THIS >>	4.00
GROSS DUE >>	2400

RETURN THIS STUB-WITH RAYNED TO:
F.C. SILOAM WATER ASSOCIATION
P.O. POX. 220

PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID PERMIT NO. 26 WEST POINT, MS

| WEST POINT MS 30773 | WEST POINT MS 30773

OFFICE CLOSED 7/4. CCR AVAIL IN OFFICE. WILL NOT BE MAILED

RETURN SERVICE REQUESTED

13-1302400 WILLIE DAVENPORT

13425 CUMMINGS CEDARBLUFF MS 39741